



www.notion.net.in

notionTM
Luxury Flooring Concepts



IGNITE
the class

Laminate Flooring • Engineered Hardwood Flooring • Stair Boards • Outdoor Decking • Outdoor Cladding • Pergolas • Louvers





IGNITE

the class

Get outnumbered, Ignite the class with Notion. We pledge to give you the feel of luxury every time when you step on our floors. We at notion cares for your precious moments which turns to gold when we become a reason for it.






Premium
LAMINATE SERIES

BLUE LINE WOOD

SURFACE Highgloss
PANEL 1380x193x8mm
BOX 8 Panels=2.131m²
UTILITY CLASS 32/AC 4



2916 Merbau



2918 Canyon

BLUE LINE NATURE

SURFACE Supermatt
PANEL 1380x114x8mm
BOX 10 Panels=1.573m²
UTILITY CLASS 32/AC 4



4186 Sonoma Oak



4189 Victorian Oak

QUADRAIC

SURFACE Supermatt
PANEL 644x310x8mm
BOX 10 Panels=1.996m²
UTILITY CLASS 32/AC 4



006 Relief White



013 Agura



LOFT 10MM V

Laminate FLOORING

loft combines a creative atmosphere and robust aesthetic with a high degree of practicality. This collection's strengths are displayed to their best not just in business premises, shops and restaurants, but also in the modern work at home lifestyles of young people. We guarantee both the high quality of the 10 mm thick panels as well as their durability under all kinds of uses. As a conscious contrast to often cool surrounding our loft range provides warm, natural tones. The AW (Natural and Vivid Wood Texture) finish with its finely structured surface compliments the silky, matt ambience of the decor.

BOARD	1380 x 193 x 10 mm
BOX	6 Boards = 1.598 m ²
PALLET	56 Boxes = 89.490 m ²
WARRANTY	30 years in domestic settings 5 years in commercial settings



*Products shown are for representative purpose only. Actual product may differ.

LOFT1006 RUSTIC OAK



I-Strip. V-groove. Brushed Gloss Structure (BW)

LOFT1009 SILVER OAK



I-Strip. V-groove. Natural Real-wood Appearance (NR)

LOFT1007 ELEGANT ELM



I-Strip. V-groove. Natural and Vivid Wood Texture (AW)

LOFT1010 DARK OAK



I-Strip. V-groove. Natural Real-wood Appearance (NR)

LOFT1008 LIGHT PINE



I-Strip. V-groove. Natural and Vivid Wood Texture (AW)

LOFT1011 FRIED OAK



I-Strip. V-groove. Natural and Vivid Wood Texture (AW)

Warranty subject to manufacturer's conditions. The printed images show true representations of the named decors.

Laminate FLOORING

All suite's complimentary finishes allow large areas to be visually divided, highlighting the differing uses of living and working space. The harmonious range of tones and surface work together with room's architectural to create a mixture of places with a coordinated atmosphere which is easy to personalize with furniture or other splashes of colour.

All round V-grooves create a characteristic board impression for the suite range.

The linear grain structure of this collection's finish, for example in BW (Brushed Wood), gives a striking brushed wooden optic.

SUITE
8MM 

BOARD 1380 x 193 x 8 mm

BOX 8 Boards = 2.131 m²

PALLET 56 Boxes = 119.32 m²

WARRANTY 25 years in domestic settings
3 years in commercial settings



NR FINISH



AW FINISH



BW FINISH

*Products shown are for representative purpose only. Actual product may differ.

SUITE803 BEIGE OAK



I-Strip. V-groove. Brushed Gloss Structure (BW)

SUITE807 DESIGN ASH



I-Strip. V-groove. Natural and Vivid Wood Texture (AW)

SUITE809 OAK HONEY



I-Strip. V-groove. Natural Real-wood Appearance (NR)

SUITE810 LIMED OAK BEIGE



I-Strip. V-groove. Natural Real-wood Appearance (NR)

SUITE811 LIMED OAK WHITE



I-Strip. V-groove. Natural Real-wood Appearance (NR)

SUITE812 LIMED OAK GREY



I-Strip. V-groove. Natural Real-wood Appearance (NR)

Warranty subject to manufacturer's conditions. The printed images show true representations of the named decors.





STUDIO
8MM

Studio gracefully lends itself to uses all over. It is equally suited to functional kitchens, to children's rooms, to studies as well as stylish living areas. Studio meets the demands of almost every space. Classically elegant decors and carefully selected surface finishes make this collection the very best. Those who get the taste for exclusive, professionally-laid laminate, will never want anything else.

Laminate
FLOORING

BOARD	1380 x 193 x 8 mm
BOX	8 Boards = 2.131 m ²
PALLET	56 Boxes = 119.32 m ²
WARRANTY	25 years in domestic settings 3 years in commercial settings



*Products shown are for representative purpose only. Actual product may differ.



32 / AC 5



EPLF

STUDIO 0805 NATURE ELM



3-Strip, Brushed Gloss Structure (BW)

STUDIO 0806 ELM



3-Strip, Brushed Gloss Structure (BW)

STUDIO 0811 NATURE OAK



3-Strip, Brushed Gloss Structure (BW)

STUDIO 0814 CUMARU



1-Strip, Brushed Grain Structure (MW)

STUDIO 0824 MULTI STRIP



Multi-strip, Natural and Vivid Wood Texture (AW)

STUDIO 0825 BROWN OAK



2-Strip, Natural and Vivid Wood Texture (AW)

STUDIO 0826 ELEGANT OAK



2-Strip, Natural and Vivid Wood Texture (AW)

STUDIO 0827 ELEGANT OAK WHITE



2-Strip, Natural and Vivid Wood Texture (AW)

STUDIO 0828 ELEGANT OAK DARK



2-Strip, Natural and Vivid Wood Texture (AW)

STUDIO 0829 ORIGINALLY SPRUCE



2-Strip, Natural and Vivid Wood Texture (AW)

Warranty subject to manufacturer's conditions. The printed images show true representations of the named decors.



ADVANCED 8MM V

Laminate FLOORING

Exotic, classic, sensual, delicate... Notion Laminate Flooring certainly has something for every one. The Unique variety and creativity of the product range allows virtually unlimited applications for this flooring, and fills rooms with your individual personality. Sensible and practical.

BOARD	1380 x 193 x 8 mm
BOX	8 Boards = 2.131 m ²
PALLET	56 Boxes = 119.32 m ²
WARRANTY	15 years in domestic settings 2 years in commercial settings



*Products shown are for representative purpose only. Actual product may differ.

ADVANCED 3126 TREND OAK GREY



I-Strip, V-groove, Wood Grain Finish (WG)

ADVANCED 3128 TREND OAK BROWN



I-Strip, V-groove, Wood Grain Finish (WG)

ADVANCED 3531 MILLENNIUM OAK BROWN



I-Strip, V-groove, Wood Grain Finish (WG)

ADVANCED 3201 TREND OAK WHITE



I-Strip, V-groove, Wood Grain Finish (WG)

ADVANCED 3901 SUMMER OAK



I-Strip, V-groove, Wood Grain Finish (WG)

Warranty subject to manufacturer's conditions. The printed images show true representations of the named decors.

Laminate FLOORING

The decors of the Basal Project are the essence of clear project elegance. They attract with their noble gloss of the surface (WG – wood grains) and the variety of colors. What is new in the Basal Project collection are the decors which are ahead of their time and they meet the expectations of the every customer who follows the most recent trends of the interior design. The Doussie enraptures its bright colors and the modern, contrasting wood pattern; the Barn Oak is a decor of an intense and noble, dark-brown color.

BASAL
PROJECT COLLECTION
8MM

BOARD 1218 x 196 x 8 mm

BOX 8 Boards = 1.91 m²

PALLET 70 Boxes = 133.69 m²

WARRANTY 10 years in domestic settings
1 year in commercial settings



*Products shown are for representative purpose only. Actual product may differ.

BASAL701 PANGA PANGA



I-Strip. Wood Grain Finish (WG)

BASAL702 DOUSSIE



I-Strip. Wood Grain Finish (WG)

BASAL703 AMERICAN WALNUT



I-Strip. Wood Grain Finish (WG)

BASAL704 BARN OAK



I-Strip. Wood Grain Finish (WG)

BASAL705 BURMESE TEAK



I-Strip. Wood Grain Finish (WG)

BASAL706 BLACK WENGÉ



I-Strip. Wood Grain Finish (WG)

BASAL707 CHEST NUT



I-Strip. Wood Grain Finish (WG)

BASAL708 DRIFT WOOD



I-Strip. Wood Grain Finish (WG)

Warranty subject to manufacturer's conditions. The printed images show true representations of the named decors.


notionTM
Luxury Flooring Concepts





ENGINEERED BESPOKE
FLOORING

ENGINEERED BESPOKE FLOORING



ARGYLE_23X750X750mm



EMPIRE_23X637X510mm



FONTAINE INDIA_23X630X630mm



FONTAINE_23X625X625mm



HERITAGE_23X625X625mm




LOUVRE-D_23X625X625mm



PHONIX_23X445X445mm



RINALDI_23X622X622mm



ROYAL PALAIS_23X630X630mm



SAVANNAH_23X805X805mm



ENGINEERED HARDWOOD FLOORING REGULAR & CUSTOMIZE


PATTERNS AND DIMENSIONS



1 Strip Royal 190 x 2190mm or 1830mm



1 Strip Imperial 138 x 2190mm or 1830mm



3 Strip Regal 190 x 2190mm

T & G



Thickness:
14mm and 22mm

LOC




Options:
Aluminium Oxide or Antiscratch.
Gloss level 8%, 25% or 50%.
Micro bevelled (Royal, Imperial, Regal, Finline)



Fine line 190 x 2190mm or 1830mm

The Structure of Engineered Hardwood Flooring 3 layers construction



ENGINEERED HARDWOOD FLOORING



FINELINE

MERBAU FINELINE



OAK FINELINE



WALNUT FINELINE



N4 OILED



N6 OILED



N9 OILED



1 STRIP ROYAL

OAK COFFEE



OAK VINTAGE LATIN



N10 OILED



N11 OILED



N12 OILED



N13 OILED



1 STRIP IMPERIAL

WALNUT IMPERIAL



MERBAU IMPERIAL



WHITE OAK IMPERIAL



N4 WHITE WASH



N6 WHITE WASH



N7 WHITE WASH



3 STRIP REGAL

MERBAU REGAL



OAK WHITE STONE



OAK BLACK WASH



WALNUT REGAL



N10 WHITE WASH



N11 WHITE WASH



Warranty subject to manufacturer's conditions. The printed images show true representations of the named decors.

*Products shown are for representative purpose only. Actual product may differ.



Customized
ENGINEERED HARDWOOD
FLOORING

CHOOSE
YOUR **color** &
STYLE



Only Notion offers you to paint your floor and your life. You only have to choose any Oak wood flooring and we will paint it accordingly. Feel free to choose your colour. Your dream flooring is just round the corner.

HERRINGBONE FLOORING

Herringbone floors have rich history as a traditional floor pattern in Europe. Herringbone Flooring is usually made from walnut wood, oak, maple wood and elm wood. It can be installed in several configurations, with or without a border.



CUSTOMIZED N11 OILED



CUSTOMIZED N12 OILED



CUSTOMIZED N13 OILED



OAK NATURAL OILED

CHEVRON FLOORING

Chevron flooring pattern originated in 17th century France, where it quickly became one of the most preferred types of floors in the palaces of the kings and nobility alike. Chevron flooring is a modern, technologically superior take on the traditional French floor. Manufactured using cutting-edge equipment, each plank is milled to precision.



CUSTOMIZED OAK BLACKWASH



CUSTOMIZED OAK EBRO DARK



CUSTOMIZED OAK JAVA



CUSTOMIZED OAK RED



CUSTOMIZED OAK GREEN



STAIRBOARD


A staircase is the opening statement in any home, and we aim to provide solid wood stair treads that will make the opening statement of your home one of beauty and elegance. Our hardwood stair treads are Custom made precision manufactured from solid wood, not wood veneer, by our skilled craftsman at our manufacturing facility.

ADD STRENGTH AND BEAUTY

Over time wood stair treads can become worn and will need to be replaced. Finding new treads that will not only add beauty to your home, but will be strong enough to hold up to the flow of constant traffic is important.

CUSTOM MADE TO FIT ANY STAIRCASE

Our prefinished stair treads come in a standard 30mm thickness, but your choices are endless. You can choose one of our many color option and any length or width.



FEATURES

Thickness	: 32 mm
Width	: 1000 mm
Length	: 1500 mm
Application	: Stair Case Board Laminated, smooth sanded surfaces
Surface	: Smooth-sanded surface
Coating	: No coating, Can be polished to any color

PURPOSE OF FINGER-JOINTED BOARD

- Staircase
- Furniture manufacturer
- Kitchen cabinets manufacturer/Wholesaler
- Door manufacturer

A high-angle photograph of a luxurious outdoor swimming pool. The pool's edge is finished with a wide, light-colored wooden deck made of horizontal planks. The water is a clear, vibrant turquoise. Large, natural-looking rocks are scattered along the pool's perimeter. Lush tropical vegetation, including palm trees and flowering shrubs, frames the pool. In the background, a chain-link fence separates the property from a view of the ocean and distant hills under a clear blue sky.

OUTDOOR DECKING & CLADDING

Quality can be seen in detail. With NOTION distinction can be easily achieved by combining its wide range of finishing pieces which are designed to meet the most individual requirements.

We show you the true meaning of NOTION. Tailor made size and pieces are produced at our lab on special request to materialize signature design creations. Staircases, swimming pool corners, facades and countless other possibilities make NOTION evoke the best compliment.

INVISIBLE FIXATION SYSTEM

The fixation is a revolutionary system enabling the installation of planks without any apparent screw, improving both the resistance of structure (no more weak points in the plank or in shearing the screw) and gives perfectly homogeneous aesthetics. This system, designed in very resistant composite material, guarantees long lasting durability. Its fixation system (see illustration) allows free circulation of air & movement between the planks without any resulting deterioration of the wood.

The Softline system combines all requirements concerning both reliability and aesthetics.


THE ADVANTAGES OF THE WOOD

- ✓ Class I rot-proof wood.
- ✓ Very stable wood oven - dried, guaranteeing very little distortion.
- ✓ Planks of fixed lengths, precision cut, avoiding on-site trimming.
- ✓ Smooth Anti - Slip surface, without splinters.
- ✓ Wood without any need for preliminary treatment.
- ✓ Selected high-grade wood.
- ✓ Pleasant material, never too hot, never too cold.



ADVANTAGES OF FIXATION

- Enables invisible fixation to the support.
- Eliminates the stage of pre-drilling and countersinking.
- Composite Material with high mechanical strength, guarantees a high quality system.
- Flexibility in compression and/or expansion, allowing re-positioning after stress unlike steel.
- Allows the strips to be isolated from the support.
- Provides a guarantee of long lasting durability.
- Shortens the installation time.
- Allows even jointing between strips.
- Ensures free circulation of air.
- Allows a vertical installation.
- Possibility of removing and replacing planks.
- Reinforces the general aspect thanks to wooden frame fixed with non visible screws.






Can be used at:
Facades | Terrace Gardens | Balconies | Fencing | Pool & Ship Deck | Drive Ways | Planters

*Products shown are for representative purpose only. Actual product may differ.

TIMBER SPECIES

Our exceptional varieties of wood : Afromosia, Ipe, Padauk & Teak have been chosen for their technical properties, perfectly suited to the most varied & most variable of climatic conditions. Our products are dried to an average moisture of 13% (+ - 2%) and are perfectly rot-proof without any chemical treatment and very stable regardless of the external conditions.





OUTDOOR DECKING & CLADDING

NOTION ensures choices, offering the largest range of timbers, widths, lengths, looks and finishes for exterior use. 100% natural, just as nature intended. The quality of your NOTION is assured through trustworthy production methods. From the crucial drying process to the expert grading selection.

We care intensely about the wood types we select and the way, we handle them and treat them. All collections are well suited for outdoor use. From extreme cold to hot and dry to humid weather conditions.

ADVANTAGES

- Hidden fastening system: All fixing is done by means of an omega-shaped stainless steel clip.
- Longer lifespan: All boards are manufactured with a double groove profile and don't need to be drilled.
- A safer and smooth uniform surface which remains untouched, minimizing the risk of splinter and fissure forming.
- Optimum air circulation: 4mm gap between boards is the optimum space for wood to expand and contract and allow enough expanse for air circulation.
- Better stability: Wood must not be trapped with screws. Notion only works with suitable woods for outdoors which will have light contractions and expansions. Such movements are absorbed by clips and extra holding is provided by tongue and groove at short ends.
- Extra stability is provided by slow oven drying of raw materials.
- The plus profile hides the structure underneath featuring a more elegant look.
- Sleek look enhanced by the 1.5 mm bevelled edges.
- Differentiation: Exclusive patented system.

IPE - BROWN



MERBAU



THERMO PINE



CUMARU LIGHT



THE ULTIMATE
EVOLUTION OF
FACADE CLADDING



Angular Cut




Hidden System



DECK TILE EASYLINE

ADVANTAGES

- Easy long lifespan: made with fine tropical wood assembled on a high density engineered plastic base.
- Easy installation: tiles are connected with click system. Ideal for providing a new look to dull looking terraces in a rapid way.
- Easy uninstall: need a change? Winter calling for removal? Found a better location for your Notion Deck Tile?
No problem, all can be removed and relocated in ridiculous short time.
- Easy maintenance
- Easy to be creative: can be used in two different ways - with staggered or aligned joints.
- Cost effective
- Ease your time by being efficient



IPE BROWN



CUMARU LIGHT

Warranty subject to manufacturer's conditions.

* Available in IPE Brown and Cumaru Light. *Products shown are for representative purpose only. Actual product may differ.

DECK TILE SQUARELINE




Squareline is an invisible fixation deckboard system for your garden. Made up of individual wooden tiles, they are attachable by the four corners with a solid clip. Easy to place and easy to remove, Squareline is perfect for your garden decking.

ADVANTAGES

- Allows fixing to supports without visible screw or nails.
- Eliminates the need for pre-drilling and countersinking.
- Fixings manufactured from tough composite material guaranteeing a high quality system.
- Provides a guarantee of long-lasting durability.
- Shortens the installation time.
- Ensures free circulation of air.
- Prevents the twist in the planks.
- Wood with no maintenance needed.

SQUARELINE FIXATION SYSTEM

This easy fixation system enables the deck boards to be fitted without any visible screw, improving both the resistance of the structure (each of the deck boards are individual) and giving a clean, aesthetically pleasing appearance to the installation. This fixation system, designed in an extremely tough composite material guarantees long lasting durability.



JACK SUPPORT

The supports for prefabricated flooring can be used with any type of slab and self-supporting tile and can be used on any type of terrace even with exposed waterproofing. Their function is to ventilate the slab, protect the waterproofing membrane by distributing the load over an adequate surface, make the waterproofing system easy to inspect and repair, making it practicable without overloading the existing slab. The circular shape, perforated in some cases, adapts perfectly to the floor sub-base even when it is not fully regular.

All types of JACK SUPPORT are guaranteed to bear concentrated loads of 400 kg each. A 400 kg concentrated load means an evenly distributed load of 1 600 kg/sq m for 50x50 cm tiles and 2,500 kg/sq m for floors made up of 40x40 cm tiles. The maximum load recommended on each single piece is 400 kg, from which the safety coefficient, equal to 50% of yielding or breakage resistance, has already been deducted. The jack support has been designed for the installation of any type of flooring on any surface, allowing inspection of the various systems beneath, without needing to demolish anything. We recommend to use slope correctors to grant loads at right angles to the laying surface. Just in this way a height load resistance will be assured.

USE QUALITY, TECHNOLOGY & PRODUCTION

A versatile and complete system to definitely resolve in easy way and without demolitions all the problems of external surfaces. A wide range of solutions able to suit for the greatest part of the present situations in the construction site - also in case of restructuring.

Our supports enable to choose the best solution according to the type of floor to lay: that is wood, composite wood, ceramic, marble or granite.

Production automation which ensures maximum quality control, elasticity and personalization of products and careful selection of suppliers of raw materials for innovative products, are the company's new targets that guarantee the continuous and constant improvement of our supports.

HEIGHTS FROM 5 TO 1020 mm

Both the fixed height supports system and adjustable heights, they allow ample coverage of heights. The use of levelers and extensions enrich the range, optimizing at best all pieces in the warehouse.



PERGOLAS & MORE

A pergola, arbor, or arbour is a garden feature forming a shaded walkway, passageway, or sitting area of vertical posts or pillars that usually support cross-beams and a sturdy open lattice, often upon which woody vines are trained. As a type of gazebo, it may also be an extension of a building or serve as protection for an open terrace or a link between pavilions. Pergolas may link pavilions or extend from a building's door to an open garden feature such as an isolated terrace or pool. Freestanding pergolas, those not attached to a home or other structure, provide a sitting area that allows for breeze and light sun, but offer protection from the harsh glare of direct sunlight.



PROPERTIES

- Highly sustainable growth means a more environmentally friendly product.
- Light yellow brown grain, highlights well when glossed.
- It can withstand extreme weather conditions and long exposure to UV rays.



APPLICATIONS

Pergolas | Gazebos | Exterior Handrail | Furniture and much more



LOUVERS

It is the first patented sun-shadow system, totally customizable during the design phase, which allows to satisfy in a functional and highly designable way, the different requests for vertical cladding. They can be used either as a sun-shadow or as a cladding solution.

LOUVER are nowadays, one of the most requested product from architects and designers. This cladding system has a high aesthetical impact since it perfectly combines the elegance of wood and the innovation of aluminium.



Product Features :

3 aluminium structural elements

- Upright tubular support, 25mm pitch, 50x50 section, 3mm thick
- "Sun" Bracket
- "Four" Bracket for wood slat

Choose from 4 different types of wood :

- Ipè Brown
- Cumaru Light
- Asian Teak
- Thermo Ash and many more..



Available Slat Sizes

20x96 mm | 20x100 mm | 20x140 mm

Available Profile for the wooden slat



Bracket for wood slat



Squared Profile



Rounded Profile

Tubular Supports Assembly



Different Inclination Angle

Bracket Inclination 22,5°



Bracket Inclination 45°



Bracket Inclination 67,5°




Bracket Inclination 90°



ACCESSORIES


Aluminium Door Profile

Most floors requires a profile that divides two different rooms with different floor types and heights. By using an aluminium profile this problem is solved quickly due to an adjustable feature found on the product.



Aluminium Stair End Profile

It is used to cover the front edge of a stair nose or step. If used on a stair, flooring is installed behind the stair nose to cover the horizontal part (the thread) of the stair.



Sound Block



3mm underlay with permanent self-adhesive bond (high grab) with a thickness of $\geq 3.0\text{mm}$, solid / engineered wood (tongue and groove).

Engineered Wood (Click Joint)	✓
Laminate (Click Joint)	✓

Flooring Accessories



Skirting which is used for the purpose of hiding the expansion gap between the wall & the Laminate / Engineered Hardwood Flooring. These are available in different kinds of shapes and sizes and are highly appreciated for their superior quality.

Beading is used for covering the expansion gap against a wall, where it is not feasible to install a skirting. Beading use in transition from laminate floor to linoleum or other type of hard surfaces.

It is used to cover the front edge of a stair nose or step. If used on a stair, flooring is installed behind the stair nose to cover the horizontal part (the thread) of the stair.

FLOOR CARE PRODUCTS



LAMINATE CLEANER

Mild neutral cleaning agent for the initial and regular cleaning of laminate floors. Removes dirt, fat, grease and shoe marks. Does not leave a residue. For EN 13329-defined laminate floor coverings and laminate surfaces (including kitchen and bathroom furniture). Specifically developed for all click laminate floors.



WOOD & CORK FLOOR CLEANER

A solvent-free cleaning agent for the daily cleaning of wood and cork floors. Dissolves dirt intensively and forms a carefully balanced cleaning and care system, in combination with Wood Et Cork Polish satin or mat. Also for use directly following the final cleaning of a new building, after such floors have been laid.



INDOOR HARDWAX OIL

Notion Hardwax Oil is used for oil finishing of wooden floors manually or with polishing machine. The oil ensures an extremely hard-wearing and light film-building surface. NOTION Hardwax Oil is ideal for basic finishing of any unfinished, new and newly sanded interior woodwork, or for topcoat on NOTION Colour Oils. Polishing machine is recommended for the polishing of bigger areas.



EXTERIOR WOOD CLEANER

Exterior Cleaner is for the cleaning of wood decking, garden furniture, cladding / sidings, fences, doors, carports etc. The product removes green growth and dirt. Exterior Cleaner is also very suitable for the cleaning of brickwork and concrete plates.



EXTERIOR DECK OIL

Exterior Oil to be used outdoor for basic treatment and maintenance of new and previously oiled wood surfaces such as decks, garden furniture, cladding etc. Exterior Oil may be used on traditional wood species such as pine and larch and on exotic species such as teak, mahogany, and ipé. Exterior Oil Natural is recommended to enhance the natural colour structure of the wood. Exterior Oil is available in Natural as well as a number of exiting colours. All varieties have UV protection.

OUR CLIENTS





AUTHORISED RETAILER

Exotic Decor Private Limited

Corp. Office & Display Centre: C-44, Sector-2, Noida-201301 U.P (INDIA)

Tel: +91-120-4000-500, Fax: +91-120-4000-507

email: contact@exotic-decor.com, www.exotic-decor.com

Customer Care No:
8010 450 450